


VERS. 1.0




VMS52B
VMS52W
VMS62B
VMS62W

SHALLOW COAXIAL SPEAKERS

SPEZIFIKATIONEN

Modell	VMS52B / VMS52W	VMS62B / VMS62W
Typ	2-Wege Koaxial-Lautsprecher UV-beständig und spritzwassergeschützt	
Größe	13 cm (5.25")	16,5 cm (6.5")
RMS Belastbarkeit	60 Watt	80 Watt
Max. Belastbarkeit	120 Watt	160 Watt
Impedanz	4 Ω	
Frequenzbereich	70 - 22000 Hz	60 - 22000 Hz
Hochtöner	26 mm Mylar-Neodym	
Membran	Polypropylen	
Schwingspule	\varnothing 25,9 mm	
Einbautiefe	\pm 25 mm	\pm 25 mm
Einbaudurchmesser	\varnothing 110 mm	\varnothing 125 mm
Außendurchmesser	\varnothing 151 mm	\varnothing 180 mm



ACHTUNG

Achten Sie unbedingt auf die korrekte Polarität aller Anschlüsse.

ENTSORGUNG/ RECYCLING




Falls Sie die Lautsprecher entsorgen müssen, beachten Sie, dass keine elektronischen Geräte im Hausmüll entsorgt werden dürfen. Entsorgen Sie die Lautsprecher samt Komponenten in einer geeigneten Recyclinganlage gemäß den örtlichen Abfallbestimmungen. Konsultieren Sie gegebenenfalls Ihre örtliche Behörde oder Ihren Händler.

Mehr Informationen unter www.audiodesign.de/entsorgung

SPECIFICATIONS

Model	VMS52B / VMS52W	VMS62B / VMS62W
Type	2-Way Coaxial Speakers UV-resistant and splash-proof	
Size	13 cm (5.25")	16,5 cm (6.5")
RMS power handling	60 Watts	80 Watts
Max. power handling	120 Watts	160 Watts
Impedance	4 Ω	
Frequency range	70 - 22000 Hz	60 - 22000 Hz
Tweeter	26 mm Mylar Neodymium	
Cone	Polypropylen	
Voice coil	Ø 25,9 mm	
Installation depth	± 25 mm	± 25 mm
Installation diameter	Ø 110 mm	Ø 125 mm
Outer diameter	Ø 151 mm	Ø 180 mm



CAUTION

Ensure the correct polarity of all connections.

DISPOSAL/RECYCLING



If you have to dispose of the loudspeakers, please note that no electronic devices must be disposed in the household waste. Dispose the loudspeakers at a suitable recycling facility in accordance with local waste regulations. If necessary, consult your local authority or dealer.

More information at www.audiodesign.de/english/disposal



Audio Design GmbH
Am Breilingsweg 3 · D-76709 Kronau/Germany
Tel. +49 7253 - 9465-0 · Fax +49 7253 - 946510
www.audiodesign.de - www.esxaudio.de

© Audio Design GmbH, All Rights Reserved

